

GS-B01

Non-contact type L-shaped mounting bracket

*Please note that accessories depicted in the image are for illustrative purposes only and may not be included with the product.

Specifications


Model	GS-B01
Type	Non-contact type
Weight	Approx. 80 g


Dimensions


* Download CAD file or product manual for larger image/text and more detail.

GS-10PC/11PC/13PC+GS-B01

GS-B01






Sensor+GS-B01
26(Center of detection)
2xHEX Across-flats S=3
60
ø5.2
3(Center of detection)
36
35.9(Center of detection)
41.8
M12 connector
49
M12
ø15.5
GS-10PC
(M12 5-pin male)
GS-11PC
(M12 8-pin male)
GS-13PC
(M12 12-pin male)



Actuator+GS-B01
26(Center of detection)
2xHEX Across-flats S=3
60
35.9(Center of detection)
41.8
36

GS-11P5/11N5/11P10/11N10/13P5+GS-B01

GS-B01





Sensor+GS-B01
26(Center of detection)
2xHEX Across-flats S=3
60
ø5.2
3(Center of detection)
35.9(Center of detection)
36
41.8



Actuator+GS-B01
26(Center of detection)
2xHEX Across-flats S=3
60
35.9(Center of detection)
41.8
36

GS-11P5/11N5/11P10/11N10/13P5+GS-B11

GS-B11



Sensor+GS-B11



Actuator+GS-B11

