

NBGLC32.3/NSK

- **Protection class IP69K**
- **Stainless steel enclosure**
- **for application in food producing machinery**
- **Variable sizes with up to five holes for command devices**
- **No additional mounting accessories such as spacers required thanks to flange seal under the enclosure**

Data

Ordering data	
	NBGLC32.3/NSK
	103032718
EAN (European Article Number)	4030661531922
eCl@ss number, Version 9.0	27-37-12-05
General data	
Enclosure material	Stainless steel
Colour of the bottom part of the enclosure	Silver
Colour of the sealing	Blue
Gross weight	1,362 g
General data - Features	
Number of cable glands	1
Number of command positions	2
Mechanical data	
Position of the cable gland	mounting holes
Mechanical data - Connection technique	
Diameter of the cable gland	20.3 mm

Mechanical data - Dimensions	
Width	100 mm
Depth	195 mm

Ambient conditions	
	IP67 IP69K
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

Pictures


Photo/Product/Catalogue



ID: knbglf27

| 867,2 kB | .jpg | 352.778 x 613.481 mm - 1000 x 1739 Pixel - 72 dpi
| 53,4 kB | .png | 74.083 x 128.764 mm - 210 x 365 Pixel - 72 dpi


Photo/Product/Catalogue



ID: knbglf49

| 335,4 kB | .jpg | 352.778 x 339.372 mm - 1000 x 962 Pixel - 72 dpi
| 29,0 kB | .png | 74.083 x 71.261 mm - 210 x 202 Pixel - 72 dpi


Dimension/Product/Basic



ID: knbg3g03

| 86,4 kB | .jpg | 352.778 x 297.039 mm - 1000 x 842 Pixel - 72 dpi
| 2,9 kB | .png | 74.083 x 62.442 mm - 210 x 177 Pixel - 72 dpi


Dimension/Product/Basic



ID: knbg3g09

| 219,4 kB | .jpg | 352.778 x 658.989 mm - 1000 x 1868 Pixel - 72 dpi

Dimension/Product/Basic



ID: knbg3g10

| 131,4 kB | .jpg | 352.778 x 459.669 mm - 1000 x 1303 Pixel - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on 242021-01-31T14:02:24+01:000201Europe/BerlinSun, 31 Jan 2021 14:02:24 +010024pmSunday.31pm31Europe/BerlinCET0201Europe/BerlinJanuary2021Sun, 31 Jan 2021 14:02:24 +010001pm31