

## NBGLC54.1/NSK

- **Protection class IP69K**
- **Stainless steel enclosure**
- **for application in food producing machinery**
- **Variable sizes with up to five holes for command devices**
- **No additional mounting accessories such as spacers required thanks to flange seal under the enclosure**

**Data**

| | |
|---|---|
| **Ordering data** | |
| | NBGLC54.1/NSK |
| | 103032723 |
| EAN (European Article Number) | 4030661530192 |
| eCl@ss number, Version 9.0 | 27-37-12-05 |
| **General data** | |
| Enclosure material | Stainless steel |
| Colour of the bottom part of the enclosure | Silver |
| Colour of the sealing | Blue |
| Gross weight | 2,130 g |
| **General data - Features** | |
| Number of cable glands | 1 |
| Number of command positions | 4 |
| **Mechanical data** | |
| Position of the cable gland | at the front |
| **Mechanical data - Connection technique** | |
| Diameter of the cable gland | 20.3 mm |

| Mechanical data - Dimensions | |
|---|---|
| Width | 100 mm |
| Height | 94 mm |
| Depth | 315 mm |

| Ambient conditions | |
|---|---|
| | IP67<br>IP69K |
| Ambient temperature, minimum | -25 °C |
| Ambient temperature, maximum | +80 °C |

**Pictures**


**Photo/Product/Catalogue**



ID: knbglf39

| 76,7 kB | .png | 74.083 x 189.089 mm - 210 x 536 Pixel - 72 dpi
| 839,7 kB | .jpg | 352.778 x 901.7 mm - 1000 x 2556 Pixel - 72 dpi


**Photo/Product/Catalogue**



ID: knbglf55

| 32,0 kB | .png | 73.731 x 90.311 mm - 209 x 256 Pixel - 72 dpi
| 303,4 kB | .jpg | 352.778 x 431.094 mm - 1000 x 1222 Pixel - 72 dpi


**Dimension/Product/Basic**




ID: knbg3g01

| 141,1 kB | .jpg | 352.425 x 397.228 mm - 999 x 1126 Pixel - 72 dpi
| 4,1 kB | .png | 73.731 x 83.256 mm - 209 x 236 Pixel - 72 dpi


**Dimension/Product/Basic**




ID: knbg3g03

| 86,4 kB | .jpg | 352.778 x 297.039 mm - 1000 x 842 Pixel - 72 dpi
| 2,9 kB | .png | 74.083 x 62.442 mm - 210 x 177 Pixel - 72 dpi

**Dimension/Product/Basic**



ID: knbg3g13

| 6,8 kB | .png | 74.083 x 204.964 mm - 210 x 581 Pixel - 72 dpi
| 284,9 kB | .jpg | 352.778 x 976.489 mm - 1000 x 2768 Pixel - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on 172021-01-31T14:03:17+01:000201Europe/BerlinSun, 31 Jan 2021 14:03:17 +010017pmSunday.31pm31Europe/BerlinCET0301Europe/BerlinJanuary2021Sun, 31 Jan 2021 14:03:17 +010001pm31