

EL

- **Print with incandescent lamp symbol**

Data

Ordering data	
	EL
	101006553
EAN (European Article Number)	4250116201068
eCl@ss number, Version 9.0	27-37-13-02
Approval - Standards	
	CCC EAC
General data	
Product name	Light terminal block EL
	EN 60947-5-1 IEC/EN 60947-1
Installation conditions (mechanical)	arbitrarily
Enclosure material	Plastic, glass-fibre reinforced thermoplastic, self-extinguishing
Gross weight	20 g
Mechanical data	
Installation instructions	pluggable
Tightening torque for the fixing screws, maximum	1 Nm
	3

Mechanical data - Connection technique	
Terminal Connector	Screw connection
Terminal designations	EN 50013
Cable section, minimum	0.5 mm², rigid 0.5 mm², flexible
Cable section, maximum	2.5 mm², rigid 1.5 mm², flexible

Mechanical data - Dimensions	
Width	10 mm
Length	46 mm
Depth	60 mm

Ambient conditions	
	IP20
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

Electrical data	
	250 V

Status indication	
Colour of the LED	without
Note (LED switching conditions display)	Supply voltage UB: 24 VAC/DC

Pictures

Photo/Product/Catalogue



ID: kellef01

| 507,6 kB | .jpg | 352.425 x 422.981 mm - 999 x 1199 Pixel - 72 dpi
| 40,6 kB | .png | 73.731 x 88.547 mm - 209 x 251 Pixel - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on 272021-01-31T14:33:27+01:000201Europe/BerlinSun, 31 Jan 2021 14:33:27 +010027pmSunday.31pm31Europe/BerlinCET3301Europe/BerlinJanuary2021Sun, 31 Jan 2021 14:33:27 +010001pm31