

ELDEKGN24

- **green LED**
- **24 VAC/DC**
- **Cage clamps**
- **Mounting flange position 3**

Data

Ordering data	
	ELDEKGN24
	101167383
EAN (European Article Number)	4030661463766
eCl@ss number, Version 9.0	27-37-13-02
Approval - Standards	
	CCC EAC
General data	
Product name	Light terminal block ELD
	EN 60947-5-1 IEC/EN 60947-1
Installation conditions (mechanical)	arbitrarily
Enclosure material	Plastic, glass-fibre reinforced thermoplastic, self-extinguishing
Gross weight	24 g
General data - Features	
Integral System Diagnostics, general	Yes
Mechanical data	
Installation instructions	pluggable
	3

Mechanical data - Connection technique	
Terminal Connector	Cage clamps, WAGO-Cage-Clamp
Terminal designations	EN 50013
	2 x 0.08 mm²
	2 x 1.5 mm²

Mechanical data - Dimensions	
Width	10 mm
Length	46 mm
Depth	51 mm

Ambient conditions	
	IP20
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

Electrical data	
	250 V

Status indication	
Colour of the LED	Green
Note (LED switching conditions display)	Supply voltage UB: 24 VAC/DC

Pictures

Photo/Product/Catalogue	



ID: keldlf02

| 39,2 kB | .png | 74.083 x 88.9 mm - 210 x 252 Pixel - 72 dpi
| 459,2 kB | .jpg | 352.778 x 423.686 mm - 1000 x 1201 Pixel - 72 dpi


Graphic/Product/Contact



ID: krdlek01

| 33,5 kB | .jpg | 352.778 x 79.022 mm - 1000 x 224 Pixel - 72 dpi
| 16,9 kB | .cdr |

Illistration/Product/Function



ID: krf--a07

| 4,3 kB | .png | 73.731 x 124.531 mm - 209 x 353 Pixel - 72 dpi
| 19,0 kB | .cdr |
| 184,6 kB | .jpg | 352.778 x 594.431 mm - 1000 x 1685 Pixel - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on 302021-01-31T14:37:30+01:000201Europe/BerlinSun, 31 Jan 2021 14:37:30 +010030pmSunday.31pm31Europe/BerlinCET3701Europe/BerlinJanuary2021Sun, 31 Jan 2021 14:37:30 +010001pm31